Certificate of Analysis (CoA)

GOLD STANDARD DIAGNOSTICS

TECAN.

Product:	**Yersinia enterocolitica IgA**
Prod.No.:	**30219306**
Lot:	**YERA-019**
Expiry:	**2027-03-31**
IFU:	**Rev. 01**

Component	Number	Lot	Prod. Date	Expiry Date
MTP	1	MA0990-019	2026-03	2027-03-31
CONJ	1	KA0990-019	2026-03	2027-03-31
CONTROL -	1	NA0990-019	2026-03	2027-03-31
CUT OFF	1	CA0990-019	2026-03	2027-03-31
CONTROL +	1	PA0990-019	2026-03	2027-03-31
WASH BUF 20x	1	W-1137	2026-02	2028-02-29
SOLN STOP	1	S-1069	2026-02	2028-02-29
SUB TMB	1	T-079	2025-12	2028-12-10
DIL	1	D-500	2026-02	2028-02-29

Component	OD Value	OD Validation Criteria
CONTROL -	0.013	< 0.200 < Cut-off
CUT OFF	0.648	0.150-1.300
CONTROL +	1.174	> Cut-off

Component	Target Value [NTU]	Target Range [NTU]
CONTROL +	17.59	>10 - 25.50

The target value and target range of CONTROL + may be used optionally.

The positive control is valid if the absorbance value of CONTROL + > CUT OFF.

Final Report issued: 2026-03-31

Approved by: Hoezalp

Quality Control

Approved on: 2026-03-31

Gold Standard Diagnostics Frankfurt GmbH
Waldstrasse 23 A6
63128 Dietzenbach, Germany

IBL International GmbH
Flughafenstrasse 52a, 22335 Hamburg
Germany