

Certificate of Analysis (CoA)



**GOLD
STANDARD
DIAGNOSTICS**



Product: **Yersinia enterocolitica IgG**
 Prod.No.: **30219308**
 Lot: **YERG-016**
 Expiry: **2026-05-31**
 IFU: **Rev. 01**

Component	Number	Lot	Prod. Date	Expiry Date
MTP	1	MG0990-016	2025-05	2026-05-31
CONJ	1	KG0990-016	2025-05	2026-05-31
CONTROL -	1	NG0990-016	2025-05	2026-05-31
CUT OFF	1	CG0990-016	2025-05	2026-05-31
CONTROL +	1	PG0990-016	2025-05	2026-05-31
WASH BUF 20x	1	W-1112	2025-03	2027-03-31
SOLN STOP	1	S-1043	2025-03	2027-03-31
SUB TMB	1	T-077	2022-09	2027-03-31
DIL	1	D-491	2025-02	2027-02-28

Component	OD Value	OD Validation Criteria
CONTROL -	0.020	< 0.200 < Cut-off
CUT OFF	0.577	0.150-1.300
CONTROL +	1.089	> Cut-off


Component	Target Value [NTU]	Target Range [NTU]
CONTROL +	18.22	10.02 - 26.41


The target value and target range of **CONTROL +** may be used optionally.
 The positive control is valid if the absorbance value of **CONTROL +** > **CUT OFF**.

Final Report issued: 2025-06-17

Approved by: AC
 Quality Control

Approved on: 2025-06-18

 Gold Standard Diagnostics Frankfurt GmbH
 Waldstrasse 23 A6
 63128 Dietzenbach, Germany

 IBL International GmbH
 Flughafenstrasse 52a, 22335 Hamburg
 Germany