Certificate of Analysis (CoA)

GOLD STANDARD DIAGNOSTICS

TECAN.

Product: **Yersinia enterocolitica IgG**

Prod.No.: **30219308**

Lot: **YERG-017**

Expiry: **2027-03-31**

IFU: **Rev. 01**

Component	Number	Lot	Prod. Date	Expiry Date
MTP	1	MG0990-017	2025-12	2027-03-31
CONJ	1	KG0990-017	2025-12	2027-03-31
CONTROL -	1	NG0990-017	2025-12	2027-03-31
CUT OFF	1	CG0990-017	2025-12	2027-03-31
CONTROL +	1	PG0990-017	2025-12	2027-03-31
WASH BUF 20x	1	W-1127	2025-11	2027-11-30
SOLN STOP	1	S-1062	2025-11	2027-11-30
SUB TMB	1	T-078	2025-04	2028-04-28
DIL	1	D-496	2025-09	2027-09-30

Component	OD Value	OD Validation Criteria
CONTROL -	0.016	< 0.200 < Cut-off
CUT OFF	0.517	0.150-1.300
CONTROL +	0.899	> Cut-off

Component	Target Value [NTU]	Target Range [NTU]
CONTROL +	18.74	10.30 - 27.17

The target value and target range of CONTROL + may be used optionally.

The positive control is valid if the absorbance value of CONTROL + > CUT OFF.

Final Report issued: 2025-12-15

Approved by:

Quality Control

Approved on: 2025-12-15

Gold Standard Diagnostics Frankfurt GmbH
Waldstrasse 23 A6
63128 Dietzenbach, Germany

IBL International GmbH
Flughafenstrasse 52a, 22335 Hamburg
Germany